Evolutionary Ecology, 1993, **7**, 652–658

Index to Volume 7 of Evolutionary Ecology

SUBJECT INDEX

age at maturity; growth; life history theory; mortality; 207
age at maturity; spatial heterogeneity; fitness measures; fitness sensitivity; reaction norms; phenotypic plasticity; life history evolution; 155
age-structured theory; kin selection; fertility; menopause; 406
allometry; comparative biology; Costa Rica; frugivory; seed dispersal; fruit form; fruit shape; Lauraceae; Monteverde; tropical ecology; 556
Anacardiaceae; western Mediterranean; parthenocarpy; insect seed predation; chalcidoid wasps; *Pistacia terebinthus*; 357
annual; perennial; neutral models; variance; 1
anti-predator behaviour; apparent competition; frequency dependent predation; indirect effects; mathematical model; optimal foraging; switching; 312
ants; brood raiding; colony founding; competition; cooperation; nest consolidation; 625
apparent competition; frequency dependent predation; indirect effects; mathematical model; optimal foraging; switching; anti-predator behaviour; 312
Australian birds; cooperative breeding; *Manorina melanophrys*; clutch size; reproductive success; 329

beetles; burying; parental care; 362
body size ratio; statistical analysis; coexistence; community morphological assortment; limiting similarity; cost of rarity; cost of commonness; stochastic extinction; dominance; standardization; competition; 142
breeding colouration; carotenoids; energy; *Gasterosteus aculeatus*; handicap; sexual selection; signal; strategic decision; 439
breeding dispersal; habitat selection; territoriality; decision rules; predictability; dynamic programming; site fidelity; 533
brood raiding; colony founding; competition; cooperation; nest consolidation; ants; 625
burying; parental care; beetles; 362

cactus; pre-mating isolation; *Drosophila mojavensis*; host plant; character displacement; speciation; 605
carotenoids; energy; *Gasterosteus aculeatus*; handicap; sexual selection; signal; strategic decision; breeding colouration; 439
chalcidoid wasps; *Pistacia terebinthus*; Anacardiaceae; western Mediterranean; parthenocarpy; insect seed predation; 357
chalcidoid wasps; sex ratio; sib mating; local mate competition; 306
character displacement; speciation; cactus; pre-mating isolation; *Drosophila mojavensis*; host plant; 605
character displacement; planktivory; sunfish; *Lepomis gibbosus*; phenotypic polymorphism; ecological differentiation; character release; 451
character release; character displacement; planktivory; sunfish; *Lepomis gibbosus*; phenotypic polymorphism; ecological differentiation; 451
clutch size; reproductive success; Australian birds; cooperative breeding; *Manorina melanophrys*; 329
coevolution; host specificity; *Drosophila*; *Howardula*; host parasite interactions; 103
coexistence; community morphological assortment; limiting similarity; cost of rarity; cost of commonness; stochastic extinction; dominance; standardization; competition; body size ratio; statistical analysis; 142
colony founding; competition; cooperation; nest consolidation; ants; brood raiding; 625
community morphological assortment; limiting similarity; cost of rarity; cost of commonness; stochastic extinction; dominance; standardization; competition; body size ratio; statistical analysis; coexistence; 142
comparative biology; Costa Rica; frugivory; seed dispersal; fruit form; fruit shape; Lauraceae; Monteverde; tropical ecology; allometry; 556
comparative method; dimensionless numbers; mammal life histories; 270, 532
compensatory growth; dynamic models; grazing tolerance; herbivore optimization; overcompensation; plant antiherbivore strategies; plant-herbivore mutualism; 109, 122, 124

competition; cooperation; nest consolidation; ants; brood raiding; colony founding; 625
competition; body size ratio; statistical analysis; coexistence; community morphological assortment; limiting similarity; cost of rarity; cost of commonness; stochastic extinction; dominance; standardization; 142
continuous traits; evolutionary stable strategy; frequency dependence; fitness; 465
cooperation; nest consolidation; ants; brood raiding; colony founding; competition; 625
cooperative breeding; *Manorina melanophrys*; clutch size; reproductive success; Australian birds; 329
cost of commonness; stochastic extinction; dominance; standardization; competition; body size ratio; statistical analysis; coexistence; community morphological assortment; limiting similarity; cost of rarity; 142
cost of rarity; cost of commonness; stochastic extinction; dominance; standardization; competition; body size ratio; statistical analysis; coexistence; community morphological assortment; limiting similarity; 142
cost of reproduction; courtship feeding; *Gryllodes sigillatus*; *Gryllus veletis*; spermatophore; spermatophylax; crickets; 240
Costa Rica; frugivory; seed dispersal; fruit form; fruit shape; Lauraceae; Monteverde; tropical ecology; allometry; comparative biology; 556
courtship feeding; *Gryllodes sigillatus*; *Gryllus veletis*; spermatophore; spermatophylax; crickets; cost of reproduction; 240
crickets; cost of reproduction; courtship feeding; *Gryllodes sigillatus*; *Gryllus veletis*; spermatophore; spermatophylax; 240

decision rules; predictability; dynamic programming; site fidelity; breeding dispersal; habitat selection; territoriality; 533
diffusion process; seed shadows; distribution tail; 25
digestive constraints; feeding ecology; foraging theory; linear programming; optimal diet; *Tragelaphus strepsiceros*; 499
dimensionless numbers; mammal life histories; comparative method; 270, 532
dispersal; marginal value theorem; predator-prey dynamics; spatial structure; stability; 379
distribution tail; diffusion process; seed shadows; 25
diversity; habitat fragmentation; forests; plant-animal interactions; reserve design; null models; 76, 327
dominance; standardization; competition; body size ratio; statistical analysis; coexistence; community morphological assortment; limiting similarity; cost of rarity; cost of commonness; stochastic extinction; 142
Drosophila; *Howardula*; host-parasite interactions; coevolution; host specificity; 103
Drosophila mojavensis; host plant; character displacement; speciation; cactus; pre-mating isolation; 605
dynamic models; grazing tolerance; herbivore optimization; overcompensation; plant antiherbivore strategies; plant-herbivore mutualism; compensatory growth; 109, 122, 124
dynamic programming; site fidelity; breeding dispersal; habitat selection; territoriality; decision rules; predictability; 533
dynamic programming; host feeding; parasitoids; 593

ecological differentiation; character release; character displacement; planktivory; sunfish; *Lepomis gibbosus*; phenotypic polymorphism; 451
elk; optimal foraging; patch; feeding station; marginal value theorem; foraging ecology; 488
energy; *Gasterosteus aculeatus*; handicap; sexual selection; signal; strategic decision; breeding colouration; carotenoids; 439
epidemiology; plant disease; genetic polymorphism; gene-for-gene; 45
ESS analysis; size-number trade-off; sex allocation theory; fruit to flower ratios; plant reproduction; 219
evolution of dispersal; self-fertilization; mating systems; migration; 251
evolutionary dynamics; populations; interactive resources; 287
evolutionary stable strategy; frequency dependence; fitness; continuous traits; 465

feeding ecology; foraging theory; linear programming; optimal diet; *Tragelaphus strepsiceros*; digestive constraints; 499
feeding station; marginal value theorem; foraging ecology; elk; optimal foraging; patch; 488
fertility; menopause; age-structured theory; kin selection; 406
fitness; continuous traits; evolutionary stable strategy; frequency dependence; 465
fitness measures; fitness sensitivity; reaction norms; phenotypic plasticity; life history evolution; age at maturity; spatial heterogeneity; 155

fitness sensitivity; reaction norms; phenotypic plasticity; life history evolution; age at maturity; spatial heterogeneity; fitness measures; 155
flower size; interplant competition; interpatch competition; nectar secretion; pollination; game theoretic model; 394
foraging behaviour; heritability; repeatability; *Taeniopygia*; zebra finch; 421
foraging ecology; elk; optimal foraging; patch; feeding station; marginal value theorem; 488
foraging theory; linear programming; optimal diet; *Tragelaphus strepsiceros*; digestive constraints; feeding ecology; 499
forests; plant-animal interactions; reserve design; null models; diversity; habitat fragmentation; 76, 327
frequency dependence; fitness; continuous traits; evolutionary stable strategy; 465
frequency dependent predation; indirect effects; mathematical model; optimal foraging; switching; anti-predator behaviour; apparent competition; 312
frugivory; seed dispersal; fruit form; fruit shape; Lauraceae; Monteverde; tropical ecology; allometry; comparative biology; Costa Rica; 556
fruit form; fruit shape; Lauraceae; Monteverde; tropical ecology; allometry; comparative biology; Costa Rica; frugivory; seed dispersal; 556
fruit shape; Lauraceae; Monteverde; tropical ecology; allometry; comparative biology; Costa Rica; frugivory; seed dispersal; fruit form; 556
fruit to flower ratios; plant reproduction; ESS analysis; size-number trade-off; sex allocation theory; 219

game theoretic model; flower size; interplant competition; interpatch competition; nectar secretion; pollination; 394
Gasterosteus aculeatus; handicap; sexual selection; signal; strategic decision; breeding colouration; carotenoids; energy; 439
gene-for-gene; epidemiology; plant disease; genetic polymorphism; 45
generation time; reproductive rate; life history; phenotypical fitness; 233
genetic polymorphism; gene-for-gene; epidemiology; plant disease; 45
grazing tolerance; herbivore optimization; overcompensation; plant antiherbivore strategies; plant-herbivore mutualism; compensatory growth; dynamic models; 109, 122, 124
group size; inclusive fitness; Nash equilibrium; relatedness; sociality; 429
growth; life history theory; mortality; age at maturity; 207
Gryllodes sigillatus; *Gryllus veletis*; spermatophore; spermatophylax; crickets; cost of reproduction; courtship feeding; 240
Gryllus veletis; spermatophore; spermatophylax; crickets; cost of reproduction; courtship feeding; *Gryllodes sigillatus*; 240

habitat fragmentation; forests; plant-animal interactions; reserve design; null models; diversity; 76, 327
habitat selection; territoriality; decision rules; predictability; dynamic programming; site fidelity; breeding dispersal; 533
habitat selection; speciation; soft selection; hard selection; polymorphism; variable environments; 175
handicap; sexual selection; signal; strategic decision; breeding colouration; carotenoids; energy; *Gasterosteus aculeatus*; 439
hard selection; polymorphism; variable environments; habitat selection; speciation; soft selection; 175
harvesting; production; population dynamics; mammals; 309
herbivore optimization; overcompensation; plant antiherbivore strategies; plant-herbivore mutualism; compensatory growth; dynamic models; grazing tolerance; 109, 122, 124
herbivores; linear programming; optimal foraging; 525, 530
heritability; repeatability; *Taeniopygia*; zebra finch; foraging behaviour; 421
host choice; sex allocation; solitary wasp; 199
host feeding; parasitoids; dynamic programming; 593
host plant; character displacement; speciation; cactus; pre-mating isolation; *Drosophila mojavensis*; 605
host specificity; *Drosophila*; *Howardula*; host-parasite interactions; coevolution; 103
host-parasite interactions; coevolution; host specificity; *Drosophila*; *Howardula*; 103
Howardula; host-parasite interactions; coevolution; host specificity; *Drosophila*; 103

inbreeding depression; plant population dynamics; small population size; 15
inclusive fitness; Nash equilibrium; relatedness; sociality; group size; 429

indeterminate growth; optimal growth strategy; optimal energy allocation; life-history theory; 576
indirect effects; mathematical model; optimal foraging; switching; anti-predator behaviour; apparent competition; frequency dependent predation; 312
insect seed predation; chalcidoid wasps; *Pistacia terebinthus*; Anacardiaceae; western Mediterranean; parthenocarpy; 357
interactive resources; evolutionary dynamics; populations; 287
interpatch competition; nectar secretion; pollination; game theoretic model; flower size; interplant competition; 394
interplant competition; interpatch competition; nectar secretion; pollination; game theoretic model; flower size; 394

kin selection; fertility; menopause; age-structured theory; 406

Lauraceae; Monteverde; tropical ecology; allometry; comparative biology; Costa Rica; frugivory; seed dispersal; fruit form; fruit shape; 556
Lepomis gibbosus; phenotypic polymorphism; ecological differentiation; character release; character displacement; planktivory; sunfish; 451
life history; phenotypical fitness; generation time; reproductive rate; 233
life history evolution; age at maturity; spatial heterogeneity; fitness measures; fitness sensitivity; reaction norms; phenotypic plasticity; 155
life history theory; mortality; age at maturity; growth; 207
life-history theory; indeterminate growth; optimal growth strategy; optimal energy allocation; 576
limiting similarity; cost of rarity; cost of commonness; stochastic extinction; dominance; standardization; competition; body size ratio; statistical analysis; coexistence; community morphological assortment; 142
linear programming; optimal foraging; herbivores; 525, 530
linear programming; optimal diet; *Tragelaphus strepsiceros*; digestive constraints; feeding ecology; foraging theory; 499
local mate competition; chalcidoid wasps; sex ratio; sib mating; 306
long life-span; turtle; survival; sexual maturity; sex ratio; 645

mammal life histories; comparative method; dimensionless numbers; 270, 532
mammals; harvesting; production; population dynamics; 309
Manorina melanophrys; clutch size; reproductive success; Australian birds; cooperative breeding; 329
marginal value theorem; foraging ecology; elk; optimal foraging; patch; feeding station; 488
marginal value theorem; predator-prey dynamics; spatial structure; stability; dispersal; 379
mathematical model; optimal foraging; switching; anti-predator behaviour; apparent competition; frequency dependent predation; indirect effects; 312
mating systems; migration; evolution of dispersal; self-fertilization; 251
menopause; age-structured theory; kin selection; fertility; 406
migration; evolution of dispersal; self-fertilization; mating systems; 251
Monteverde; tropical ecology; allometry; comparative biology; Costa Rica; frugivory; seed dispersal; fruit form; fruit shape; Lauraceae; 556
mortality; age at maturity; growth; life history theory; 207

Nash equilibrium; relatedness; sociality; group size; inclusive fitness; 429
nectar secretion; pollination; game theoretic model; flower size; interplant competition; interpatch competition; 394
nest consolidation; ants; brood raiding; colony founding; competition; cooperation; 625
neutral models; variance; annual; perennial; 1
null models; diversity; habitat fragmentation; forests; plant-animal interactions; reserve design; 76, 327

optimal diet; *Tragelaphus strepsiceros*; digestive constraints; feeding ecology; foraging theory; linear programming; 499
optimal energy allocation; life-history theory; indeterminate growth; optimal growth strategy; 576
optimal foraging; switching; anti-predator behaviour; apparent competition; frequency dependent predation; indirect effects; mathematical model; 312

optimal foraging; patch; feeding station; marginal value theorem; foraging ecology; elk; 488
optimal foraging; herbivores; linear programming; 525, 530
optimal growth strategy; optimal energy allocation; life-history theory; indeterminate growth; 576
overcompensation; plant antiherbivore strategies; plant-herbivore mutualism; compensatory growth; dynamic models; grazing tolerance; herbivore optimization; 109, 122, 124

parasitoids; dynamic programming; host feeding; 593
parental care; beetles; burying; 362
parental investment; threespine stickleback; 279
parthenocarpy; insect seed predation; chalcidoid wasps; *Pistacia terebinthus*; Anacardiaceae; western Mediterranean; 357
patch; feeding station; marginal value theorem; foraging ecology; elk; optimal foraging; 488
perennial; neutral models; variance; annual; 1
phenotypic plasticity; life history evolution; age at maturity; spatial heterogeneity; fitness measures; fitness sensitivity; reaction norms; 155
phenotypic polymorphism; ecological differentiation; character release; character displacement; planktivory; sunfish; *Lepomis gibbosus*; 451
phenotypical fitness; generation time; reproductive rate; life history; 233
Pistacia terebinthus; Anacardiaceae; western Mediterranean; parthenocarpy; insect seed predation; chalcidoid wasps; 357
planktivory; sunfish; *Lepomis gibbosus*; phenotypic polymorphism; ecological differentiation; character release; character displacement; 451
plant antiherbivore strategies; plant-herbivore mutualism; compensatory growth; dynamic models; grazing tolerance; herbivore optimization; overcompensation; 109, 122, 124
plant disease; genetic polymorphism; gene-for-gene; epidemiology; 45
plant population dynamics; small population size; inbreeding depression; 15
plant reproduction; ESS analysis; size-number trade-off; sex allocation theory; fruit to flower ratios; 219
plant-animal interactions; reserve design; null models; diversity; habitat fragmentation; forests; 76, 327
plant-herbivore intesactions; marine algae; calcified algae; structured defences
plant-herbivore mutualism; compensatory growth; dynamic models; grazing tolerance; herbivore optimization; overcompensation; plant antiherbivore strategies; 109, 122, 124
pollination; game theoretic model; flower size; interplant competition; interpatch competition; nectar secretion; 394
polymorphism; variable environments; habitat selection; speciation; soft selection; hard selection; 175
population dynamics; mammals; harvesting; production; 309
populations; interactive resources; evolutionary dynamics; 287
pre-mating isolation; *Drosophila mojavensis*; host plant; character displacement; speciation; cactus; 605
predator-prey dynamics; spatial structure; stability; dispersal; marginal value theorem; 379
predictability; dynamic programming; site fidelity; breeding dispersal; habitat selection; territoriality; decision rules; 533
production; population dynamics; mammals; harvesting; 309

reaction norms; phenotypic plasticity; life history evolution; age at maturity; spatial heterogeneity; fitness measures; fitness sensitivity; 155
relatedness; sociality; group size; inclusive fitness; Nash equilibrium; 429
repeatability; *Taeniopygia*; zebra finch; foraging behaviour; heritability; 421
reproductive rate; life history; phenotypical fitness; generation time; 233
reproductive success; Australian birds; cooperative breeding; *Manorina melanophrys*; clutch size; 329
reserve design; null models; diversity; habitat fragmentation; forests; plant-animal interactions; 76, 327

seed dispersal; fruit form; fruit shape; Lauraceae; Monteverde; tropical ecology; allometry; comparative biology; Costa Rica; frugivory; 556
seed shadows; distribution tail; diffusion process; 25
self-fertilization; mating systems; migration; evolution of dispersal; 251
sex allocation; solitary wasp; host choice; 199
sex allocation theory; fruit to flower ratios; plant reproduction; ESS analysis; size-number trade-off; 219
sex ratio; sib mating; local mate competition; chalcidoid wasps; 306

sex ratio; long life-span; turtle; survival; sexual maturity; 645
sexual maturity; sex ratio; long life-span; turtle; survival; 645
sexual selection; signal; strategic decision; breeding colouration; carotenoids; energy; *Gasterosteus aculeatus*; handicap; 439
sib mating; local mate competition; chalcidoid wasps; sex ratio; 306
signal; strategic decision; breeding colouration; carotenoids; energy; *Gasterosteus aculeatus*; handicap; sexual selection; 439
site fidelity; breeding dispersal; habitat selection; territoriality; decision rules; predictability; dynamic programming; 533
size-number trade-off; sex allocation theory; fruit to flower ratios; plant reproduction; ESS analysis; 219
small population size; inbreeding depression; plant population dynamics; 15
sociality; group size; inclusive fitness; Nash equilibrium; relatedness; 429
soft selection; hard selection; polymorphism; variable environments; habitat selection; speciation; 175
solitary wasp; host choice; sex allocation; 199
spatial heterogeneity; fitness measures; fitness sensitivity; reaction norms; phenotypic plasticity; life history evolution; age at maturity; 155
spatial structure; stability; dispersal; marginal value theorem; predator-prey dynamics; 379
speciation; cactus; pre-mating isolation; *Drosophila mojavensis*; host plant; character displacement; 605
speciation; soft selection; hard selection; polymorphism; variable environments; habitat selection; 175
spermatophore; spermatophylax; crickets; cost of reproduction; courtship feeding; *Gryllodes sigillatus*; *Gryllus veletis*; 240
spermatophylax; crickets; cost of reproduction; courtship feeding; *Gryllodes sigillatus*; *Gryllus veletis*; spermatophore; 240
stability; dispersal; marginal value theorem; predator-prey dynamics; spatial structure; 379
standardization; competition; body size ratio; statistical analysis; coexistence; community morphological assortment; limiting similarity; cost of rarity; cost of commonness; stochastic extinction; dominance; 142
statistical analysis; coexistence; community morphological assortment; limiting similarity; cost of rarity; cost of commonness; stochastic extinction; dominance; standardization; competition; body size ratio; 142
stochastic extinction; dominance; standardization; competition; body size ratio; statistical analysis; coexistence; community morphological assortment; limiting similarity; cost of rarity; cost of commonness; 142
strategic decision; breeding colouration; carotenoids; energy; *Gasterosteus aculeatus*; handicap; sexual selection; signal; 439
sunfish; *Lepomis gibbosus*; phenotypic polymorphism; ecological differentiation; character release; character displacement; planktivory; 451
survival; sexual maturity; sex ratio; long life-span; turtle; 645
switching; anti-predator behaviour; apparent competition; frequency dependent predation; indirect effects; mathematical model; optimal foraging; 312

Taeniopygia; zebra finch; foraging behaviour; heritability; repeatability; 421
territoriality; decision rules; predictability; dynamic programming; site fidelity; breeding dispersal; habitat selection; 533
threespine stickleback; parental investment; 279
Tragelaphus strepsiceros; digestive constraints; feeding ecology; foraging theory; linear programming; optimal diet; 499
tropical ecology; allometry; comparative biology; Costa Rica; frugivory; seed dispersal; fruit form; fruit shape; Lauraceae; Monteverde; 556
turtle; survival; sexual maturity; sex ratio; long life-span; 645

variable environments; habitat selection; speciation; soft selection; hard selection; polymorphism; 175
variance; annual; perennial; neutral models; 1

western Mediterranean; parthenocarpy; insect seed predation; chalcidoid wasps; *Pistacia terebinthus*; Anacardiaceae; 357

zebra finch; foraging behaviour; heritability; repeatability; *Taeniopygia*; 421

AUTHOR INDEX

Abrams, P.A., 312, 465
Aksnes, D.L., 233

Belovsky, G.E., 525
Belsky, A.J., 109
Berrigan, D., 270, 532
Brazner, J.C., 605
Brown, J.H., 142
Burpee, D.M., 240

Caraco, T., 429
Carson, W.P., 109
Caza, N., 279
Chan, M.S., 593
Charnov, E.L., 270, 309, 532
Crawley, M.J., 124

De Meeûs, T., 175

Etges, W.J., 605

Feldman, M.W., 251
Fitzgerald, G.J., 279
Førland, B., 233
Fox, G.A., 1, 109
Frank, S.A., 45
Frischknecht, M., 439
Fryxell, J.M., 379

Getz, W.M., 287
Giraldeau, L.A., 429
Girondot, M., 645
Giske, J., 233
Gladstein, D.S., 362
Godfray, H.C.J., 593

Halley, J.M., 15
Harada, Y., 465
Harvey, P.H., 270, 532
Herre, E.A., 76, 327
Hopf, F.A., 142
Hudson, R.J., 488

Jaenike, J., 103
Jensen, C.L., 109
Jiang, Z., 488

Kawecki, T.J., 155

L'Abée-Lund, J.H., 207
Leigh, E.G., Jr, 76, 327
Lemon, W.C., 421
Lotito, P.T., 451
Lundberg, P., 379

Manasse, R.S., 15
Mangel, M., 401
Margosian, A.S., 451
Matsuda, H., 312, 465
Mazer, S.J., 556
Michalakis, Y., 175
Morgan, M., 219

Nichols, N.K., 576
Nishimura, K., 199
Nonacs, P., 625

Olivieri, I., 175
Otronen, M., 127
Owen-Smith, N., 499, 530

Padilla, D.K., 634

Perrin, N., 576
Pieau, C., 645
Poiani, A., 329
Portnoy, S., 25
Purvis, A., 270, 532
Putz, F.E., 76, 327

Renaud, F., 175
Robinson, B.W., 451
Rogers, A.R., 406
Roitberg, B.D., 401

Sakai, S., 394
Sakaluk, S.K, 240
Sægrov, H., 207
Schmitz, O.J., 525
Scott, M.P., 329
Sibly, R.M., 576
Stearns, S.C., 155
Switzer, P.V., 533

Taylor, P.D., 306
Traveset, A., 329

Vail, S.G., 122
Valone, T.J., 142
Vøllestad, L.A., 207

Wheelwright, N.T., 556
Wiener, P., 251
Willson, M.F., 25
Wilson, D.S., 451
Wright, S.J., 76, 327